



WK-Hydraulic®

齿轮泵油口法兰

Couplings for gear pumps






WRPA 联轴器 WRPA coupling

材料：钢（镀白锌）

Material: Steel (white zinc plated)



型号 Type	泵端 Pump size	A	I	D	H	L	孔数量 Fixing	螺纹孔 Screws holes	O型圈 O-Rings
WRPA05-038	0.5	3/8"	26	17	10	27	3	M5x20	2056
WRPA05-012	0.5	1/2"	26	17	10	27	3	M5x20	2056
WRPA1-038	1	3/8"	30	17	10	27	3	M6x20	121
WRPA1-012	1	1/2"	30	17	10	27	3	M6x20	121
WRPA2-038	2	3/8"	40	21	11	36	3	M8x25	132
WRPA2-012	2	1/2"	40	21	11	36	3	M8x25	132
WRPA2-034	2	3/4"	40	21	11	36	3	M8x25	132
WRPA3-034	3	3/4"	51	27	15	46	3	M10x30	4118
WRPA3-100	3	1"	51	27	15	46	3	M10x30	4118
WRPA3-034B	3	3/4"	56	27	15	46	3	M10x30	4118
WRPA3-100B	3	1"	56	27	15	46	3	M10x30	4118
WRPA35-100M10	3.5	1"	62	36	16	56	3	M10x30	4150
WRPA35-114M10	3.5	1 1/4"	62	36	16	56	3	M10x30	4150
WRPA35-100M12	3.5	1"	62	36	16	56	3	M12x35	4150
WRPA35-114M12	3.5	1 1/4"	62	36	16	56	3	M12x35	4150
WRPA4-114	4	1 1/4"	72.5	37	17	56	3	M12x35	153
WRPA4-112	4	1 1/2"	72.5	37	17	56	3	M12x35	153
WRPA6-212	-	2 1/2"	92	52	18	75	3	M12x40	4275

订货举例 - Ordering example

WRPA 2 - 034 - M

联轴器
Coupling

公制螺纹、垫片、O型圈
Metrical screws, washers, O-Rings
(镀白锌的 - white zinc plated)


RPA35 - RPA4 - RPA6
由铸铁制成 - Made of cast iron



RP 联轴器 RP coupling

材料：铝

Material: Aluminium



最大压力 bar	型号 Type	泵端 Pump size	A BSP	I	D	H	L	孔数量 holes	螺纹 Screws	O型圈
180	RP05-038	0.5	3/8"	26	18	24	30	3	M5x35	2056
180	RP05-012	0.5	1/2"	26	18	24	30	3	M5x35	2056
180	RP1-038	1	3/8"	30	18	26	30	3	M6x35	121
180	RP1-012	1	1/2"	30	18	26	30	3	M6x35	121
180	RP2-012	2	1/2"	40	20	31	40	3	M8x45	130
180	RP2-034	2	3/4"	40	20	31	40	3	M8x45	130
180	RP3-034	3	3/4"	51÷56	26	43	46	3	M10x60	4118
180	RP3-100	3	1"	51÷56	26	43	46	3	M10x60	4118
180	RP35-114	3.5	1 1/4"	62	33.5	17	57	2	M12x35	4143
180	RP4-112	4	1 1/2"	72.5	38	17	64	2	M12x35	4175

订购举例 - Ordering example

RP 1 - 012 - M


联轴器
Couplings

公制螺纹、垫片、O型圈
Metrical screws, washers, O-Rings
(镀白锌的- white zinc plated)



RP 联轴器 RP coupling

材料：铝
Material: Aluminium



最大压力 bar	型号 Type	A	I	L	D	E	螺纹 Screws	O型圈 O-Rings
180	1 RA - 038	3/8"	30	22	17	17	M6x35	121
180	1 RA - 012	1/2"	30	22	17	17	M6x35	121
180	2 RA - 038	3/8"	35	24	17	19.5	M6x40	3075
180	2 RA - 012	1/2"	35	24	17	19.5	M6x40	3075

订购举例 - Ordering example

1 RA - 012 - M

联轴器
Coupling


公制螺纹、垫片、O型圈
Metrical screws, washers, O-Rings
(镀白锌的- white zinc plated)



WRP 联轴器 WRP coupling

材料：钢（镀白锌的）

Material: Steel (white zinc plated)



最大 压力 bar	型号 Type	I	A BSP	D	H	L	螺纹 / Screws		O型圈 O-Rings
							N 2	N 2	
315	WRIA 30-038	30	3/8"	19	11	40	M6x20	M6x35	121
315	WRIA 30-012	30	1/2"	19	11	40	M6x20	M6x35	121
315	WRIA 35-038	35	3/8"	18	11.5	40	M6x20	M6x35	3075
315	WRIA 35-012	35	1/2"	18	11.5	40	M6x20	M6x35	3075
250	WRIA 40-038	40	3/8"	24	13	42.5	M6x25	M6x45	132
250	WRIA 40-012	40	1/2"	24	13	42.5	M6x25	M6x45	132
250	WRIA 40-034	40	3/4"	24	13	42.5	M6x25	M6x45	132
250	WRIA 55-012	55	1/2"	34	13	54	M8x25	M8x60	4118
250	WRIA 55-034	55	3/4"	34	13	54	M8x25	M8x60	4118
250	WRIA 55-100	55	1"	34	13	54	M8x25	M8x60	4118

订购举例 - Ordering example

WRIA 55 - 100 - M

联轴器
Coupling



公制螺纹、垫片、O型圈
Metrical screws, washers, O-Rings
(镀白锌的 - white zinc plated)



RP 联轴器 RP coupling

材料：铝

Material: Aluminium



最大压力 bar	型号 Type	A BSP	I	D	H	L	孔数量 Fixing holes	螺纹 / Screws		O型圈 O-Rings
								N2	N2	
180	RB 038-30	3/8"	30	18	18	40	4	M6x30	M6x45	121
180	RB 012-30	1/2"	30	18	18	40	4	M6x30	M6x45	121
180	RB 038-35	3/8"	35	18	18	42.5	4	M6x30	M6x45	3075
180	RB 012-35	1/2"	35	18	18	42.5	4	M6x30	M6x45	3075
180	RB 012-40	1/2"	40	24	24	47.5	4	M6x35	M6x55	130
180	RB 034-40	3/4"	40	24	24	47.5	4	M6x35	M6x55	130
180	RB 034-55	3/4"	55	29	31	54	4	M8x45	M8x60	4118
180	RB 100-55	1"	55	29	31	54	4	M8x45	M8x60	4118

订货举例 - Ordering example

RB 034 - 40 - M


联轴器
Coupling

公制螺纹、垫片、O型圈
Metrical screws, washers, O-Rings
(镀白锌的- white zinc plated)



RGAT 联轴器 DIN 2353型 RGAT coupling DIN 2353 type

材料: 钢 (镀白锌的)
Material: Steel (white zinc plated)



最大压力 bar	型号 Type	A	I	L	D	E	B	螺纹 Screws	O型圈 O-Rings
300	1 RGAT 10/26	M16x1.5	26	28	10	10	17	M5x20	2056
300	1 RGAT 12/26	M18x1.5	26	28	10	12	17	M5x20	2056
300	1 RGAT 15/26	M22x1.5	26	28	10	15	17	M5x20	2056
300	1 RGAT 16/26	M24x1.5	26	28	10	16	17	M5x20	2056
300	1 RGAT 18/26	M26x1.5	26	28	10	18	17	M5x20	2056
300	1 RGAT 10/30	M16x1.5	30	28	10	10	17	M6x20	121
300	1 RGAT 12/30	M18x1.5	30	28	10	12	17	M6x20	121
300	1 RGAT 15/30	M22x1.5	30	28	10	15	17	M6x20	121
300	1 RGAT 16/30	M24x1.5	30	28	10	16	17	M6x20	121
300	1 RGAT 18/30	M26x1.5	30	28	10	18	17	M6x20	121
200	2 RGAT 15/40	M22x1.5	40	36	11	15	22	M8x25	132
200	2 RGAT 16/40	M24x1.5	40	36	11	16	22	M8x25	132
200	2 RGAT 18/40	M26x1.5	40	36	11	18	22	M8x25	132
200	2 RGAT 20/40	M30x2	40	36	11	20	22	M8x25	132
200	2 RGAT 22/40	M30x2	40	36	11	22	22	M8x25	132
200	2 RGAT 28/40	M36x2	40	36	11	28	28	M8x25	132
200	3 RGAT 20/51	M30x2	51	46	15	20	27	M10x30	4118
200	3 RGAT 25/51	M36x2	51	46	15	25	27	M10x30	4118
200	3 RGAT 30/51	M42x2	51	45	15	30	27	M10x30	4118

订购举例 - Ordering example

1 RGAT 18/30 - M K

联轴器
Coupling

说明要求: - Under request:
螺帽 和 环 - Nut and ring


公制螺纹、垫片、O型圈
Metrical screws, washers, O-Rings
(镀白锌的- white zinc plated)



RBA 联轴器 DIN 2353型 RBA coupling DIN 2353 type

材料：钢（镀白锌的）

Material: Steel (white zinc plated)



最大压力 bar	型号 Type	I	A	E	D	H	L	螺纹 / Screws		O型圈 O-Rings
								N 2	N 2	
300	RBA 35/10	35	M16x1.5	10	18	11.5	40	M6x20	M6x35	3075
300	RBA 35/12	35	M18x1.5	12	18	11.5	40	M6x20	M6x35	3075
300	RBA 35/15	35	M22x1.5	15	18	11.5	40	M6x20	M6x35	3075
300	RBA 35/16	35	M24x1.5	16	18	11.5	40	M6x20	M6x35	3075
100	RBA 40/15	40	M22x1.5	15	24	13	44	M6x25	M6x45	132
100	RBA 40/18	40	M26x1.5	18	24	13	40	M6x25	M6x45	132
100	RBA 40/20	40	M30x2	20	24	13	40	M6x25	M6x45	132
100	RBA 40/22	40	M30x2	22	24	13	40	M6x25	M6x45	132
100	RBA 40/28	40	M36x2	28	28	16	41.5	M6x25	M6x50	132
100	RBA 40/35	40	M45x2	35	32	16	41.5	M6x25	M6x50	132
250	RBA 55/20	55	M30x2	20	34	13	54	M8x25	M8x60	4118
250	RBA 55/25	55	M36x2	25	34	13	54	M8x25	M8x60	4118
250	RBA 55/30	55	M42x2	30	34	13	54	M8x25	M8x60	4118
200	RBA 55/38	55	M52x2	38	43	12	52	M8x25	M8x70	4118
100	RBA 55/42	55	M52x2	42	43	12	52	M8x25	M8x70	4118

订购举例 - Ordering example

RBA 40/28 - M K

联轴器
Coupling

说明要求: - Under request:
螺帽和环- Nut and ring


公制螺纹、垫片、O型环
Metrical screws, washers, O-Rings
(镀白锌的- white zinc plated)



RDA 联轴器 DIN 2353型 RDA coupling DIN 2353 type

材料: 钢 (镀白锌的)

Material: Steel (white zinc plated)



最大压力 bar	型号 Type	I	B	A	E	H	L	螺纹 Screws	O型圈 O-Rings
315	RDA 35/10L	35	46	M16x1.5	10	8	30	M6x20	3075
315	RDA 35/12L	35	46	M18x1.5	12	8	30	M6x20	3075
250	RDA 35/15L	35	46	M22x1.5	15	8	30	M6x20	3075
315	RDA 35/16S	35	46	M24x1.5	16	8	30	M6x20	3075
100	RDA 40/15L	40	52	M22x1.5	15	8	35	M6x20	3100
100	RDA 40/18L	40	52	M26x1.5	18	8	35	M6x20	3100
250	RDA 40/20S	40	52	M30x2	20	8	35	M6x20	3100
100	RDA 40/22L	40	52	M30x2	22	8	35	M6x20	3100
100	RDA 40/28L	40	52	M36x2	28	8	40	M6x20	3100
250	RDA 55/20S	55	70	M30x2	20	12	50	M8x25	3125
250	RDA 55/25S	55	70	M36x2	25	12	50	M8x25	3125
250	RDA 55/30S	55	70	M42x2	30	12	50	M8x25	3125
100	RDA 55/35L	55	70	M45x2	35	12	50	M8x25	3125

订购举例 - Ordering example

RDA 40/18L - M K

联轴器
Coupling

说明要求: - Under request:
螺帽 和 环 - Nut and ring


公制螺纹、垫片、O型环
Metrical screws, washers, O-Rings
(镀白锌的 - white zinc plated)



直通接头 Straight coupling

材料：钢（镀白锌的）

Material: Steel (white zinc plated)



型号 Type	泵端 Pump size	I	B	L	D	E	A BSP	H	孔数量 Fixing	螺纹 Screws holes	O型环 O-Rings
F1-038	1	30	45	-	-	-	3/8"	13	4	M6x16	2075
FI1-038	1	30	40	55	23	-	3/8"	10	4	M6x20	2075
FE1-012	1	30	40	55	-	14	1/2"	10	4	M6x20	2075
FB1	1	30	40	55	19	14	-	10	4	M6x20	2075
F2-012	2	40	58	-	-	-	1/2"	15	4	M8x20	2100
FI2-012	2	40	54	60	28.5	-	1/2"	12	4	M8x25	2100
FE2-034	2	40	54	60	-	19	3/4"	12	4	M8x25	2100
FB2	2	40	54	60	25.4	19	-	12	4	M8x25	2100
F3-034	3 A	51	76	-	-	-	3/4"	18	4	M10x25	3125
FI3-034	3 A	51	70	72	33.5	-	3/4"	16	4	M10x30	3125
FE3-100	3 A	51	70	72	-	24	1"	16	4	M10x30	3125
FB3	3 A	51	70	72	32	24.5	-	16	4	M10x30	3125
F3-034B	3 B	56	76	-	-	-	3/4"	18	4	M10x25	3125
FI3-034B	3 B	56	76	72	33.5	-	3/4"	16	4	M10x30	3125
FE3-100B	3 B	56	76	72	-	24	1"	16	4	M10x30	3125
FB3B	3 B	56	76	72	32	24.5	-	16	4	M10x30	3125
F35-100M10	3.5 A	62	88	-	-	-	1"	20	4	M10x30	144
F35-100M12	3.5 B	62	88	-	-	-	1"	20	4	M12x35	144
F4-114	4	72.5	98	-	-	-	1 1/4"	22	4	M12x35	4187

订购举例 - Ordering example

FI3-034 - M

联轴器
Coupling

公制螺纹、垫片、O型环
Metrical screws, washers, O-Rings
(镀白锌的- white zinc plated)

“F”款法兰附件中不含垫片
Washers not included inside the kit for “F” type flanges